FIBERFRAX[®] BULK FIBER

Fiberfrax Bulk Ceramic Fiber is the basis for the Fiberfrax family of products.

Manufactured from high purity alumina-silicate materials, Fiberfrax Bulk Fibers have a continuous high temperature use limit of 1260°C. Fiberfrax Bulk Fibers exhibit excellent resistance to attack from most corrosive agents, with the exceptions of hydrofluoric acid, phosphoric acid and strong alkalies. The fibers also effectively resist oxidation and reduction. If wet by water or steam, thermal and physical properties are restored upon drying.

Fiberfrax Bulk Fibers can be used in a wide range of application as thermal insulation. particularly in fire protection and high temperature expansion joint applications.

General Characteristics

Fiberfrax Bulk Fibers offers users a number of important advantages over all man-made mineral fibers:

- High temperature stability •
- Low thermal conductivity .
- Low heat storage •
- Excellent thermal shock resistance •
- Superior corrosion resistance .
- Excellent sound absorption .

Availability

All Bulk Fibers are packed by Unifrax at approximately 150kg/m³ density

- Fiberfrax Bulk Fiber •
- Fiberfrax Granulated Bulk Fiber
- Fiberfrax FT Fiber .
- AB Bulk Fiber .
- AZS Bulk Fiber (Alumina-Silica-Zirconia • chemistry)
- Fibermax Bulk Fiber (High Alumina, high • temperature fibers)
- MR II Fibers •

Please contact Application Engineering for more information on +61 3 9463 0000

Typical Applications

- Expansion joints •
- Furnace base seals .
- Packing around burner tiles .
- Tube seals .



Colour Blueish-white **Classification Temperature** 1260°C Melting Point 1760°C 96-192 kg/m³ Normal Packing Density Fiber Diameter 2-3 microns Fiber Lengths Up to 100mm Specific gravity

Specific neat at 1093°C	1130 J/kg ° C
Fiber Tensile Strength	>35 kPa (128kg/m ³)
Fiber Surface Area	0.5 m²/g

2.73

Thermal Conductivity Data (W/mK)

Mean Temp	96 kg/m ³	128 kg/m ³	160 kg/m ³
200°C	0.06	0.05	0.05
400°C	0.10	0.09	0.08
600°C	0.15	0.12	0.11
800°C	0.21	0.16	0.14

Other Fiberfrax Product Forms are:

- Fiberfrax Durablanket
- Fiberfrax Duraboards
- Fiberfrax Paper .
- Fiberfrax Felts .
- Fiberfrax Vacuum Cast Shapes .
- Fiberfrax Mastics and Cements

Glass feeder bowl insulation